Operating & Processing Software

RISCAN PRO

for RIEGL 3D Laser Scanners

- Companion Software to RIEGL 3D Terrestrial Scanners
- Data Acquisition, Visualization and Processing
- Straightforward Global Registration
- Interfacing to Post Processing Software
- Support of Photogrammetry Features

RiSCAN PRO is the companion software for RIEGL Terrestrial 3D Laser Scanner Systems. RiSCAN PRO is project orientated, i.e., the entire data acquired during a measurement campaign are organized and stored in RiSCAN PRO's project structure.

These data include scans, finescans, digital images, GPS data, coordinates of control points and tie points, and all transformation matrices necessary to transform the data of multiple scans into a common well-defined coordinate system.

RiSCAN PRO is designed to optimize the acquisition workflow in the field and provides the tools for visual inspection of overall completeness of data coverage in 3D right after acquisition. In addition to data acquisition it provides a variety of functions for data processing.

RISCANDRO

For RIEGL 3D Laser Scanners

CD-ROM
© RIEGL LMS GmbH

A-3580 Hom, AUSTRA
www.riegl.com

visit our webpage www.riegl.com



	Function	Input/Output	Description	V	A	P	C	N
	Starting application			•	•	•		
	Opening project	*.RiSCAN\project.rsp	open existing project folder			•		
tr.	Saving projects (as)	*.RiSCAN\project.rsp	save project to (new) folder		•	•		
Project Management	Data importing (light)	3DD, VTP, DXF, OCT, ASCII, SOP, JPG, BMP, TIFF, SDW, LAS	import scans, point clouds, tiepoints, xOP matrices, images, organized point clouds		•	•		
	Data importing (full)	additionally: OBJ, STL, PLY, POL	import PolyData meshes, polylines, sections, planes, aerial views			•		
	Data exporting (light)	3DD, DXF, ASCII, SOP, 3PF, ASC, PTC	export scans, point clouds, tiepoints, xOP matrices		•	•		
	Data exporting (full)	additionally: OBJ, STL, PLY, POL, VRML	export PolyData meshes, polylines, sections, planes		3	•		
	Data link to AutoCAD	any 2D/3D view	send 2D or 3D coordinates	•	•	•		
Ę	Acquiring scan	3DD / 4DD	acquire scan data online (3D or in 2D line scan mode)		•	1		h
SIT	Acquiring image	JPG	automatic image acquisition with high resolution digital camera			M		
Data Acquisition	Acquiring GPS data	global position and time information	acquire GPS data online from (D)GPS receiver		•			
	Extracting reflectors	scans or images	automatic reflector extraction from scans or images			•		
	Scanning reflectors	fine scans	automatic scanning of extracted reflectors with highest resolution	- 6			1	
	Calibrating camera	intrinsic and extrinsic camera parameters	semi-automatic calibration of camera mounted on top of the scanner	A	•	100	•	
100	Registration based on tiepoints	tiepoints	automatic determination of scanner's position and orientation based on matching tiepoints and/or controlpoints	A	•	•		
Data Registration	Backsighting	tiepoints, GPS, compass, remote target, inclination sensors	fast and efficient registration based on scanner's position and orientation	14	•	•	B	
	Manual registration	axis, rotation center	allows manual rotation and translation of scans			•		
Şe	Multi Station Adjustment	tiepoints, tieobjects, plane patches	refinement of overall registration (modified iterative closest point algorithm)			- 9		
	Automated registration	scans	registration based on integrated GPS receiver, inclination sensors and compass of V-Line laser scanners		•	•		
	Closing holes	scans	interpolate missing points from neighbouring data		1	•	3	
	Resampling	scan or PolyData	rasterisation in polar coordinates				2 5	
	Deleting points	scan or PolyData	manually selecting and deleting of points		•			
Data Processing & Evaluation	Coloring scan	scans + images	applying color from high resolution images to point data		•	•		
	Filtering data	scan or PolyData	applying miscellanous filter operations for data reduction and		•			
	(range, intensity, Octree,)	The state of the s	segmentation of point clouds and meshes				2	
	Triangulating scans	scan or PolyData	creating triangulated meshes from point clouds			•		
	Smoothing and decimating	PolyData mesh	configurable smoothing of surfaces and reduction of number of triangles			•		
	Image registration	images	registering free-shot calibrated images based on tiepoints/controlpoints		1	•	4	
	Texturing mesh	PolyData mesh	applying high resolution images to 3D mesh					
	Creating plots	any 3D view	creating of scaleable plots of 3D views in BMP or JPEG format				1	
	Creating orthophoto	textured PolyData meshes/orthophotos	creating TRUE orthophotos	1				3
	Creating geometry objects	Points, lines, cylinders, sections, planes	creating miscellanous geometry objects from selected points	No.				
	Modeling edges	scans or polylines	semi-automatic modeling of edges or break lines	1		•		
	Measuring coordinates	data selection	measuring point coordinates in different coordinate systems					
	Measuring distance	user input	measuring direct distance between two points		-			
	Measuring angle	user input	measuring angle between two planes			•		
	Measuring volume/surface area	scan or PolyData	measuring volume and surface extents of selected and defined areas			•		
	Image browser	images	gives an overview of camera location and orientation		•	•		
	Panorama image	images	generating panorama images with selectable resolution			•		



Main Licenses

V: Viewer License

for visualizing of already acquired RISCAN PRO projects and simple data evalution

A: Acquisition License

for RIEGL scanner configuration, data acquisition, global registration, viewing, evaluation, and export of merged, filtered pointclouds

P: Processing License

for advanced data processing and evaluation of already acquired RiSCAN PRO projects, also in combination with imported third party geometry data

Plugin Licenses

C: RISCAN PRO Plugin Camera Module License

enables automatic digital image acquisition in combination with RIEGL 3D scanners

M: RISCAN PRO Plugin Multi-Station Adjustment Module License

> for advanced registration based on an iterative closest point (ICP) algorithm, also including controlpoints, tiepoints, and plane information

2

General Information RiSCAN PRO

RISCAN PRO is to be licensed on three different levels:

Basic visualization and viewing functions

All necessary functions for data acquisition, global registration,

visualization and pointcloud processing

Processing License: Pointcloud processing functions as well as advanced meshing,

texturing, evaluation and exploring functions.

The design of RiSCAN PRO's project structure enables smooth data transfer to numerous third party post-processing packages. The XML-based project file structure is published and well-documented thus enabling open access to all project information in an easy way. By using the optional RiSCANLib or RiVLib library all scan data can be accessed also in a convenient way.

For detailed information see RiSCAN PRO's online help manual.

System Requirements

Operating system:

Memory requirements:

Disk space requirements:

Interface for scanner communication:

Graphics requirements:

Windows XP Professional, Windows VISTA Porfessional,

Windows 7 Professional, 32 or 64 bit operating system

1024 MB RAM minimum, 2048 MB (32 bit) / 4096 MB (64 bit)

or more recommended

approximately 30 MB for the program and plugins approximately

700 MB for the example project (only included in the CD version of

RISCAN PRO)

at least 100 GB recommended for projects

TCP/IP Ethernet interface (LAN / WLAN 2.5 or 5 GHz, WPA)

or alternatively Serial and ECP parallel interface

OpenGL accelerated graphics, nVIDIA GeForce series

recommended

Download Information

To download RiSCAN PRO, please navigate to http://www.riegl.com/ and click on "DOWNLOADS". (Download after email registration only.)



RIEGL Laser Measurement Systems GmbH, 3580 Horn, Austria Tel.: +43-2982-4211, Fax: +43-2982-4210, E-mail: office@ **RIEGL USA Inc., Orlando, Florida 32819, USA**Tel.: +1-407-248-9927, Fax: +1-407-248-2636, E-mail: info@rieglusa.com

RIEGL Japan Ltd., Tokyo 1640013, Japan Tel.: +81-3-3382-7340, Fax: +81-3-3382-5843, E-mail: info@riegl-japan.co.jp

